

پی‌نوشت‌های کتاب

مغز سوگوار

پیش‌درآمد

1. H. Gündel, M. F. O'Connor, L. Littrell, C. Fort, and R. Lane (2003), "Functional neuroanatomy of grief: An fMRI study," *American Journal of Psychiatry* 160: 1946–53.
2. G. A. Bonanno (2009), *The Other Side of Sadness: What the New Science of Bereavement Tells Us about Life after Loss* (New York: Basic Books).

فصل ۱: راه رفتن در تاریکی

1. A. Tsao, M. B. Moser, and E. I. Moser (2013), "Traces of experience in the lateral entorhinal cortex," *Current Biology* 23/5: 399–405.
2. J. O'Keefe and L. Nadel (1978), *The Hippocampus as a Cognitive Map* (New York: Oxford University Press).
3. Meerkat Manor, Season one, Discovery Communications, Animal Planet, produced by Oxford Scientific Films for Animal Planet, International Southern Star Entertainment UK PLC, producers Chris Barker and Lucinda Axelsson.
4. J. Bowlby (1982), *Attachment* (2nd ed.), vol. 1: *Attachment and Loss* (New York: Basic Books).

فصل ۲: در جست‌وجوی نزدیکی

1. A. Aron, T. McLaughlin-Volpe, D. Mashek, G. Lewandowski, S. C. Wright, and E. N. Aron (2004), "Including others in the self," *European Review of Social Psychology*, 15/1: 101–32, <https://doi.org/10.1080/104632804400000008>.
2. Y. Trope and N. Liberman (2010), "Construal level theory of psychological distance," *Psychological Review* 117: 440, doi: 10.1037/a0018963.
3. C. Parkinson, S. Liu, and T. Wheatley (2014), "A common cortical metric for spatial, temporal, and social distance," *Journal of Neuroscience* 34/5: 1979–87.
4. R. M. Tavares, A. Mendelsohn, Y. Grossman, C. H. Williams, M. Shapiro, Y. Trope, and D. Schiller (2015), "A map for social navigation in the human brain," *Neuron* 87: 231–43.
5. M. K. Shear (2016), "Grief is a form of love," in R. A. Neimeyer, ed., *Techniques of grief therapy: Assessment and intervention*, 14–18 (Abingdon: Routledge/Taylor & Francis Group).
6. K. L. Collins et al. (2018), "A review of current theories and treatments for phantom limb pain," *Journal of Clinical Investigation* 128/6: 2168.
7. G. Rizzolatti and C. Sinigaglia (2016), "The mirror mechanism: A basic principle of brain function," *Nature Reviews Neuroscience* 17: 757–65.
8. N. A. Harrison, C. E. Wilson, and H. D. Critchley (2007), "Processing of observed pupil size modulates perception of sadness and predicts empathy," *Emotion* 7/4: 724–29, <https://doi.org/10.1037/1528-3542.7.4.724>.

فصل ۳: باور به افکار جادویی

1. <https://www.nytimes.com/2004/02/07/arts/love-that-dare-not-squeak-its-name.html>.
2. K. Cronin, E. J. C. van Leeuwen, I. C. Mulenga, and M. D. Bodamer (2011), "Behavioral response of a chimpanzee mother toward her dead infant," *American Journal of Primatology* 73: 415–21.
3. D. Tranel and A. R. Damasio (1993), "The covert learning of affective valence does

not require structures in hippocampal system or amygdala,” *Journal of Cognitive Neuroscience* 5/1 (Winter): 79–88, <https://doi.org/10.1162/jocn.1993.5.1.79>. Ibid.

فصل ۴: سازگاری در گذر زمان

1. “Elisabeth Kübler-Ross” (2004), *BMJ* 2004; 329:627, doi: <https://doi.org/10.1136/bmj.329.7466.627>.
2. J. M. Holland and R. A. Neimeyer (2010), “An examination of stage theory of grief among individuals bereaved by natural and violent causes: A meaning-oriented contribution,” *Omega* 61/2: 103–20.

فصل ۵: بروز عوارض

1. I. R. Galatzer-Levy and G. A. Bonanno (2012), “Beyond normality in the study of bereavement: Heterogeneity in depression outcomes following loss in older adults,” *Social Science & Medicine* 74/12: 1987–94.
2. S. Freud (1917), *Mourning and Melancholia*, vol. XIV in *The Standard Edition of the Complete Psychological Works of Sigmund Freud (1914–1916): On the History of the Psycho-Analytic Movement, Papers on Metapsychology and Other Works*, pp. 237–58, [https://www.pep-web.org /document.php?id=se.014.0237a](https://www.pep-web.org/document.php?id=se.014.0237a).
3. H. G. Prigerson, M. K. Shear, S. C. Jacobs, C. F. Reynolds, P. K. Maciejewski, P. A. Pilkonis, C. M. Wortman, J. B. W. Williams, T. A. Widiger, J. Davidson, E. Frank, D. J. Kupfer, and S. Zisook (1999), “Consensus criteria for traumatic grief: A preliminary empirical test,” *British Journal of Psychiatry*, 174: 67–73.
4. H. C. Saavedra Pérez, M. A. Ikram, N. Direk, H. G. Prigerson, R. Freak-Poli, B. F. J. Verhaaren, et al. (2015), “Cognition, structural brain changes and complicated grief: A population-based study,” *Psychological Medicine* 45/7: 1389–99, <https://doi.org/10.1017/S0033291714002499>.
5. H. C. Saavedra Pérez, M. A. Ikram, N. Direk, and H. Tiemeier (2018), “Prolonged grief and cognitive decline: A prospective population-based study in middle-aged and older persons,” *American Journal of Geriatric Psychiatry* 26/4: 451–60, <https://doi.org/10.1016/j.jagp.2017.12.003>.

6. F. Maccallum and R. A. Bryant (2011), "Autobiographical memory following cognitive behaviour therapy for complicated grief," *Journal of Behavior Therapy and Experimental Psychiatry* 42: 26–31.
7. M. K. Shear, Y. Wang, N. Skritskaya, N. Duan, C. Mauro, and A. Ghesquiere (2014), "Treatment of complicated grief in elderly persons: A randomized clinical trial," *JAMA Psychiatry* 71/11: 1287–95, doi:10.1001 /jamapsychiatry.2014.1242.
8. P. A. Boelen, J. de Keijser, M. A. van den Hout, and J. van den Bout (2007), "Treatment of complicated grief: A comparison between cognitive-behavioral therapy and supportive counseling," *Journal of Consulting and Clinical Psychology* 75: 277–84.

فصل ۶: در اشتیاق عزیز از دست رفته

1. M. Moscovitch, G. Winocur, and M. Behrmann (1997), "What is special about face recognition? Nineteen experiments on a person with visual object agnosia and dyslexia but normal face recognition," *Journal of Cognitive Neuroscience* 9/5: 555–604.
2. H. Wang, F. Duclot, Y. Liu, Z. Wang, and M. Kabbaj (2013), "Histone deacetylase inhibitors facilitate partner preference formation in female prairie voles," *Nature Neuroscience*, <http://dx.doi.org/10.1038/nn.3420>.
3. J. Holt-Lunstad, T. B. Smith, and J. B. Layton (2010), "Social relationships and mortality risk: A meta-analytic review," *PLoS Medicine* 7(7): e1000316, doi:10.1371/journal.pmed.1000316.
4. M. F. O'Connor, D. K. Wellisch, A. L. Stanton, N. I. Eisenberger, M. R. Irwin, and M. D. Lieberman (2008), "Craving love? Complicated grief activates brain's reward center," *NeuroImage* 42: 969–72.
5. B. Costa, S. Pini, P. Gabelloni, M. Abelli, L. Lari, A. Cardini, M. Muti, C. Gesi, S. Landi, S. Galderisi, A. Mucci, A. Lucacchini, G. B. Cassano, and C. Martini (2009), "Oxytocin receptor polymorphisms and adult attachment style in patients with depression," *Psychoneuroendocrinology* 34/10 (Nov.): 1506–14, doi: 10.1016/j.psyneuen.2009.05.006.

6. K. Tomizawa, N. Iga, Y. F. Lu, A. Moriwaki, M. Matsushita, S. T. Li, O. Miyamoto, T. Itano, and H. Matsui (2003), "Oxytocin improves long-lasting spatial memory during motherhood through MAP kinase cascade," *Nature Neuroscience* 6/4 (Apr.): 384–90.

فصل ۷: رسیدن به خردی برای درک تفاوت‌ها

1. M. F. O'Connor and T. Sussman (2014), "Developing the Yearning in Situations of Loss scale: Convergent and discriminant validity for bereavement, romantic breakup and homesickness," *Death Studies* 38: 450–58, doi: 10.1080/07481187.2013.782928.
2. D. J. Robinaugh, C. Mauro, E. Bui, L. Stone, R. Shah, Y. Wang, N. A. Skritskaya, C. F. Reynolds, S. Zisook, M. F. O'Connor, K. Shear, and N. M. Simon (2016), "Yearning and its measurement in complicated grief," *Journal of Loss and Trauma* 21/5: 410–20, doi: 10.1080/15325024.2015.1110447.
3. D. C. Rubin, M. F. Dennis, and J. C. Beckham (2011), "Autobiographical memory for stressful events: The role of autobiographical memory in posttraumatic stress disorder," *Consciousness and Cognition* 20: 840–56.
4. S. A. Hall, D. C. Rubin, A. Miles, S. W. Davis, E. A. Wing, R. Cabeza, and D. Berntsen (2014), "The neural basis of involuntary episodic memories," *Journal of Cognitive Neuroscience* 26: 2385–99, doi: 10.1162/jocn_a_00633.
5. G. A. Bonanno and D. Keltner (1997), "Facial expressions of emotion and the course of conjugal bereavement," *Journal of Abnormal Psychology* 106/1 (Feb.): 126–37, doi: 10.1037//0021-843x.106.1.126.
6. D. Kahneman and R. H. Thaler (2006), "Utility maximization and experienced utility," *Journal of Economic Perspectives* 20/1: 221–34, doi:10.1257/089533006776526076.
7. P. K. Maciejewski, B. Zhang, S. D. Block, H. G. Prigerson (2007), "An empirical examination of the stage theory of grief," *Journal of the American Medical Association* 297(7): 716–23, erratum in *JAMA* 297/20: 2200, PubMed PMID: 17312291.

فصل ۸: وقت‌گذرانی در گذشته

1. W. Treynor, R. Gonzalez, and S. Nolen-Hoeksema (2003), "Rumination reconsidered: A psychometric analysis," *Cognitive Therapy and Research* 27/3 (June): 247-59.
2. M. C. Eisma, M. S. Stroebe, H. A. W. Schut, J. van den Bout, P. A. Boelen, and W. Stroebe (2014), "Development and psychometric evaluation of the Utrecht Grief Rumination Scale," *Journal of Psychopathology and Behavioral Assessment* 36:165-76, doi: 10.1007/s10862-013-9377-y.
3. M. C. Eisma, H. A. Schut, M. S. Stroebe, P. A. Boelen, J. Bout, and W. Stroebe (2015), "Adaptive and maladaptive rumination after loss: A three-wave longitudinal study," *British Journal of Clinical Psychology* 54:163-80, <https://doi.org/10.1111/bjc.12067>.
4. M. S. Stroebe et al. (2007), "Ruminative coping as avoidance: A reinterpretation of its function in adjustment to bereavement," *European Archives of Psychiatry and Clinical Neuroscience* 257: 462-72, doi: 10.1007/s00406-007-0746-y.
5. M. C. Eisma, M. Rinck, M. S. Stroebe, H. A. Schut, P. A. Boelen, W. Stroebe, and J. van den Bout (2015), "Rumination and implicit avoidance following bereavement: an approach avoidance task investigation," *Journal of Behavior Therapy and Experimental Psychiatry* 47 (Jun): 84-91, doi: 10.1016/j.jbtep.2014.11.010.
6. M. C. Eisma, H. A. W. Schut, M. S. Stroebe, J. van den Bout, W. Stroebe, and P. A. Boelen (2014), "Is rumination after bereavement linked with loss avoidance? Evidence from eyetracking," *PLoS One* 9, e104980, <http://dx.doi.org/10.1371/journal.pone.0104980>.
7. A. J. Rose, W. Carlson, and E. M. Waller (2007): "Prospective associations of co-rumination with friendship and emotional adjustment: Considering the socio-emotional trade-offs of corumination," *Developmental Psychology* 43/4: 1019-31, doi: 10.1037/0012-1649.43.4.1019.

فصل ۹: زندگی در زمان حال

1. J. Warner, C. Metcalfe, and M. King (2001), "Evaluating the use of benzodiazepines following recent bereavement," *British Journal of Psychiatry* 178/1: 36–41.
2. J. M. Cook, T. Biyanova, and R. Marshall (2007), "Medicating grief with benzodiazepines: Physician and patient perspectives," *Archives of Internal Medicine* 167/18 (Oct. 8), doi:10.1001/archinte.167.18.2006.
3. W. W. Seeley, V. Menon, A. F. Schatzberg, J. Keller, G. H. Glover, H. Kenna, et al. (2007), "Dissociable intrinsic connectivity networks for salience processing and executive control," *Journal of Neuroscience* 27: 2349–56.
4. J. D. Creswell, A. A. Taren, E. K. Lindsay, C. M. Greco, P. J. Gianaros, A. Fairgrieve, A. L. Marsland et al. (2016), "Alterations in resting-state functional connectivity link mindfulness meditation with reduced interleukin-6: A randomized controlled trial," *Biological Psychiatry* 80: 53–61, <http://dx.doi.org/10.1016/j.biopsych.2016.01.008>.

فصل ۱۱: آموزش آموخته‌هایتان به دیگری

1. S. J. E. Bruijninks, R. J. DeRubeis, S. D. Hollon, and M. J. H. Huibers (2019), "The potential role of learning capacity in cognitive behavior therapy for depression: A systematic review of the evidence and future directions for improving therapeutic learning," *Clinical Psychological Science* 7/4: 668–92, <https://doi.org/10.1177/2167702619830391>.
2. C. S. Dweck (2006), *Mindset* (New York: Random House).

The Grieving Brain

**The Surprising Science of
How We Learn from Love and Loss**

Mary-Frances O'Connor

Translated by Meysam Hamdami

Nashrenovin